

ID No.: [REDACTED] Patient: [REDACTED] Subject No.: [REDACTED] Sex: Male Age: 61Y/5M Parent's name: [REDACTED]	Street: [REDACTED] House No.: 27 Locality: [REDACTED] Tel.: [REDACTED] Tel. 2: [REDACTED]	Phoenix Roof Customer No known sensitivity to medication
---	--	---

**** Personal medical information **** - This document contains information protected by the Privacy Protection Law.
 All unlawful transfer thereof constitutes an offense.

Surgery Report

Sensitivities

No known sensitivity to medication

Details

Date of surgery/operation: June 14, 2018
Entry to operation room: June 14, 2018, 14:16 **Exit from operation room:** June 14, 2018, 16:16
Surgeon: Prof. [REDACTED]
Assistant surgeon: Dr. [REDACTED]
Anesthesiologist: [REDACTED] **Type of Anesthesia** General
Backup physician - name and telephone: Dr. [REDACTED]
Roof customer: Phoenix

Diagnosis and Surgery

Diagnosis **Adenocarcinoma of prostate 185**
Surgery/Operation **Laparoscopic robotic assisted radical prostatectomy 60.5, 17.42**
 Laparoscopic robotic assisted radical pelvic lymph node dissection 40.59, 17.42

Surgery Details

Findings 40 g prostate with significant middle lobe
Course of surgery/operation Patient is lain in Trendelenburg
 Insertion of a verses needle near the navel and creating a pneumoperitoneum
 Insertion of 6 ports - 12 for the camera - 3*8 mm for the robot, 12 for the assistant and another 5 for the assistant
 Opening of the endopelvic fascia on both sides. Binding of the dorsal venous complex
 Incision on top of the neck and its separation from the bladder. Lifting the prostate, identifying and suturing the cysts and removing the seminal vesicles. Control of the blood vessels of the prostate and the lateral urinary bladder with pins
 Separation of the erectile nerves. Nerve preservation: right – good, left - 0. Incision of the urethra.
 Insertion of the prostate and seminal vesicles into the bag.
 Closing the neck to the urethra with ROCCO Vicryl 0 suture.
 Irrigation of the neck to the urethra on an 18 catheter with 2 extended Monocryl sutures 0*3.
 Normal leak control
 Placing a 16 round silicone drain on the sides of the anastomosis, and leading it out to the skin in a separate incision through the right port.
 Ports extraction. Taking out the preparation through the peri-umbilical incision. Closure of the fascia with prolonged Vicryl 1
 Intradermal suture for the skin

Additional information

Pathology taken	Yes	Containers	2
Blood loss	Yes	Blood quantity	300mL